



TJL TECHNOLOGIES

Certificate Ref. No. : TJL-MT016/2020



CLASSIFICATION OF GRADE

EXAMINATION	MINIMUM GRADE REQUIRED (%)	GRADE OBTAINED (%)
GENERAL	70	80
SPECIFIC	70	85
PRACTICAL	80	90
COMPOSITE GRADE (AVG.)	80	85

NDT TRAINING & CERTIFICATION

An ISO 9001:2015 Certified & MSME Registered NDT Institute

Office address :
302, Anasuya Arcade, Madhura Nagar,
Seethammapeta, Vizag -16, Ph: 7794946445, Email: tjlttech2008@gmail.com,
Web: www.tjlttech.in

Certificate of NDT Personnel Qualification

This is to certify that Mr.

MALLI BALAMURALI KRISHNA

Has been qualified and certified in Non-Destructive Testing in accordance with the requirements of the American Society for Non- Destructive Testing (ASNT) Recommended Practice No. SNT-TC-IA-2016 Edition in the following method:

**NDT Level II in
MAGNETIC PARTICLE TESTING**

Educational Qualification	: ITI(Fitter)	Work Experience	: 06 Months
Date of Vision Exam	: 18.01.2020	Training Hours	: 24 Hours
Near Vision	: J1	Colour Vision	: Normal
Date of Certification	: 28.01.2020	Date of Expiry	: 27.01.2025
Date of Renewal(I st)	:	Date of Expiry	:

Course Director



Based on evidence of continuity in service and compliance with practice No. SNT-TC-1A 2020 edition & this certificate is valid upto: 26-01-2030



ASNT Level III Examiner
G. SURENDRANATH
ASNT NOT LEVEL III(RT,UT,MT,PT,VT,ET)
Cert No.: 149498
IAEA LEVEL III (UT)



Scanned with OKEN Scanner

Scanned with OKEN Scanner



TJL TECHNOLOGIES

Certificate Ref. No. : TJL-PT016/2020



CLASSIFICATION OF GRADE

EXAMINATION	MINIMUM GRADE REQUIRED (%)	GRADE OBTAINED (%)
GENERAL	70	85
SPECIFIC	70	85
PRACTICAL	80	94
COMPOSITE GRADE (AVG.)	80	88

NDT TRAINING & CERTIFICATION

An ISO 9001:2015 Certified & MSME Registered NDT Institute

Office address :
302, Anasuya Arcade, Madhura Nagar,
Seethammampeta, Vizag -16, Ph: 7794946445, Email: tjltech2008@gmail.com,
Web: www.tjltech.in

Certificate of NDT Personnel Qualification

This is to certify that Mr.

MALLI BALAMURALI KRISHNA

Has been qualified and certified in Non-Destructive Testing in accordance with the requirements of the American Society for Non-Destructive Testing (ASNT)
Recommended Practice No. SNT-TC-1A-2016 Edition
in the following method:

NDT Level II in PENETRANT TESTING

Educational Qualification	: ITI(Fitter)	Work Experience	: 06 Months
Date of Vision Exam	: 18.01.2020	Training Hours	: 20 Hours
Near Vision	: J1	Colour Vision	: Normal
Date of Certification	: 28.01.2020	Date of Expiry	: 27.01.2025
Date of Renewal(1 st)	:	Date of Expiry	:

Course Director



Based on evidence of continuity in service and compliance with practice No. SNT-TC-1A 2020 edition & this certificate is valid upto: 26-01-2030



ASNT Level III Examiner
G. SURENDRANATH
ASNT NDT LEVEL III(UT,MT,PT,VT,ET)
Cert No.: 149498
IAEA LEVEL III (UT)



Scanned with OKEN Scanner



TJL TECHNOLOGIES

Certificate Ref. No. : TJL-VT016/2020



CLASSIFICATION OF GRADE

EXAMINATION	MINIMUM GRADE REQUIRED (%)	GRADE OBTAINED (%)
GENERAL	70	85
SPECIFIC	70	85
PRACTICAL	80	91
COMPOSITE GRADE (AVG.)	80	87

NDT TRAINING & CERTIFICATION

An ISO 9001:2015 Certified & MSME Registered NDT Institute

Office address :

302, Anasuya Arcade, Madhura Nagar,
Seethammampeta, Vizag -16, Ph: 7794946445, Email: tjltech2008@gmail.com,
Web: www.tjltech.in

Certificate of NDT Personnel Qualification

This is to certify that Mr.

MALLI BALAMURALI KRISHNA

Has been qualified and certified in Non-Destructive Testing in accordance with the requirements of the American Society for Non- Destructive Testing (ASNT)

Recommended Practice No. SNT-TC-IA-2016 Edition


in the following method:

**NDT Level II in
VISUAL TESTING**

Educational Qualification	: ITI(Fitter)	Work Experience	: 06 Months
Date of Vision Exam	: 18.01.2020	Training Hours	: 32 Hours
Near Vision	: J1	Colour Vision	: Normal
Date of Certification	: 28.01.2020	Date of Expiry	: 27.01.2025
Date of Renewal(I st)	:	Date of Expiry	:

Based on evidence of continuity in service and compliance with practice No. SNT-TC-1A 2020 edition & this certificate is revalid upto: 26-01-2030

Course Director



ASNT Level III Examiner
G. SURENDRANATH
ASNT NDT LEVEL III(RT,UT,MT,PT,VT,ET)
Cert No.: 149498
IAEA LEVEL III (UT)



Scanned with OKEN Scanner

Scanned with OKEN Scanner



TJL TECHNOLOGIES

Certificate Ref. No. : TJL-UT016/2020



CLASSIFICATION OF GRADE

EXAMINATION	MINIMUM GRADE REQUIRED (%)	GRADE OBTAINED (%)
GENERAL	70	80
SPECIFIC	70	80
PRACTICAL	80	89
COMPOSITE GRADE (AVG.)	80	83

NDT TRAINING & CERTIFICATION

An ISO 9001:2015 Certified & MSME Registered NDT Institute

Office address :
302, Anasuya Arcade, Madhura Nagar,
Seethammampeta, Vizag -16, Ph: 7794946445, Email: tjlttech2008@gmail.com,
Web: www.tjlttech.in

Certificate of NDT Personnel Qualification

This is to certify that Mr.


MALLI BALAMURALI KRISHNA

Has been qualified and certified in Non-Destructive Testing in accordance with the requirements of the American Society for Non-Destructive Testing (ASNT)
Recommended Practice No. SNT-TC-1A-2016 Edition
in the following method:

NDT Level II in ULTRASONIC TESTING

Educational Qualification	: ITI(Fitter)	Work Experience	: 06 Months
Date of Vision Exam	: 18.01.2020	Training Hours	: 80 Hours
Near Vision	: J1	Colour Vision	: Normal
Date of Certification	: 28.01.2020	Date of Expiry	: 27.01.2025
Date of Renewal(1 st)	:	Date of Expiry	:

Course Director



Based on evidence of continuity
in service and compliance with
practice No. SNT-TC-1A 2020
edition & this certificate is valid
upto: 26-01-2030



ASNT Level III Examiner
G. SURENDRANATH
ASNT NDT LEVEL III(UT,MT,PT,VT,ET)
Cert No.: 149498
IAEA LEVEL III (UT)



Scanned with OKEN Scanner