



**ANDHRA PRADESH POLLUTION CONTROL  
BOARD**

**ZONAL OFFICE :: VISAKHAPATNAM**

39-33-20/4/1, Madhavadhara Vuda Colony,  
Visakhapatnam - 530018.



**RED CATEGORY**

**CONSENT & AUTHORIZATION ORDER**

**Consent Order No:9209/APPCB/ZO-VSP/VZN/CTO/2025 Date: 24-04-2025**

CONSENT is hereby granted for Operation under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21 of Air (Prevention & Control of Pollution) Act 1981 and amendments thereof and Authorisation under Rule 6 of the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 & Amendments thereof and the rules and orders made there under (hereinafter referred to as 'the Acts', 'the Rules') to:

**M/s. Neotech Specialty Structures Pvt. Ltd.,  
(Formerly Neotech Oils Pvt. Ltd., & Formerly M/s.Ralco Steels Private Limited),  
Plot No. 1, APIIC, Growth Center,  
Bobbili (V) & (M),  
Vizianagaram District.**

(Hereinafter referred to as 'the Applicant') authorizing to operate the industrial plant to discharge the effluents from the outlets and the quantity of emissions per hour from the chimneys as detailed below:

i. Outlets for discharge of effluents:

Outlet No.	Outlet Description	Max Daily Discharge	Point of Disposal
1	Cooling bleed off	3.0 Kilo Liters/Day	On land for gardening
2	Domestic	6.0 Kilo Liters/Day	Septic tank followed by soak pit

ii) Emissions from chimneys:

Chimney No.	Description of Chimney	Quantity of Emissions at peak flow (m <sup>3</sup> /hr)
1.	Attached to 600 KVA DG Set	---

iii) **HAZARDOUS WASTE AUTHORISATION (FORM – II) [See Rule 6 (2)]:**

M/s. Neotech Specialty Structures Pvt. Ltd., (Formerly Neotech Oils Pvt. Ltd., & Formerly M/s.Ralco Steels Private Limited), Plot No. 1, APIIC, Growth Center, Bobbili (V) & (M), Vizianagaram District is hereby granted an authorization for generation, storage, transport and disposal of Hazardous Wastes namely:

▼ **HAZARDOUS WASTES WITH RECYCLING OPTION:**

S. No	Name of Hazardous Waste	Stream	Quantity	Method of disposal
1	Used lubricating oil	5.1 of Schedule – I	50 Liters/ annum	Shall be sent to authorized Re-processors / Recyclers / to the Cement industries for co-processing through M/s. Andhra Pradesh Environment Corporation Limited (APEMCL).

This consent order is valid for the following products along with quantities indicated only:

S. No.	Name of the Products and By-products	Quantity
1.	Steel Structures (MS)	200.0 Tons/day
2.	Z- Purlin (GI)	20.0 Tons/day
3.	C –Purlin (GI)	20.0 Tons/day
4.	Profile Sheets (GI)	15.0 Tons/day

This order is subject to the provisions of 'the Acts' and the Rules' and orders made thereunder and further subject to the terms and conditions incorporated in the schedule A, B & C enclosed to this order.

This combined order of Consent & Hazardous Waste Authorization shall be valid for a period ending with the **31.12.2026**.

DR P.PRASADA RAO  
JOINT CHIEF ENVIRONMENTAL ENGINEER

To  
**M/s. Neotech Specialty Structures Pvt. Ltd.,**  
**(Formerly Neotech Oils Pvt. Ltd., & Formerly M/s.Ralco Steels Private Limited),**  
**Plot No. 1, APIIC, Growth Center,**  
**Bobbili (V) & (M),**  
**Vizianagaram District.**

Copy to the EE, RO, Vizianagaram for information and necessary action to ensure compliance.

**SCHEDULE – A**

1. Any up-set condition in any industrial plant / activity of the industry, which

result in, increased effluent / emission discharge and/ or violation of standards stipulated in this order shall be informed to this Board, under intimation to the Collector and District Magistrate and take immediate action to bring down the discharge / emission below the limits.

2. The industry should carryout analysis of wastewater discharges or emissions through chimneys for the parameters mentioned in this order on quarterly basis and submit to the Board.
3. All the rules & regulations notified by Ministry of Law and Justice, Government of India regarding Public Liability Insurance Act, 1991 should be followed as applicable.
4. The industry should put up two sign boards (6x4 ft. each) at publicly visible places at the main gate indicating the products, effluent discharge standards, air emission standards, hazardous waste quantities and validity of CTO and exhibit the CTO order at a prominent place in the factory premises.
5. Not withstanding anything contained in this consent order, the Board hereby reserves the right and powers to review / revoke any and/or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of the Acts by the Board.
6. The applicant shall submit Environment statement in Form V before 30<sup>th</sup> September every year as per Rule No.14 of E (P) Rules, 1986 & amendments thereof.
7. The applicant should make applications through Online for renewal of Consent (under Water and Air Acts) and Authorization under HWM Rules at least 120 days before the date of expiry of this order, along with prescribed fee under Water and Air Acts and detailed compliance of CTO conditions for obtaining Consent & HW Authorization of the Board.
8. The industry should immediately submit the revised application for consent to this Board in the event of any change in the raw material used, processes employed, quantity of trade effluents & quantity of emissions. Any change in the management shall be informed to the Board. The person authorized should not let out the premises / lend / sell / transfer their industrial premises without obtaining prior permission of the State Pollution Control Board

### **SCHEDULE – B**

#### **SPECIAL CONDITIONS:**

1. The industry shall start development of greenbelt within the premises maintaining 33 % of the total area and report compliance to the Board.

#### **WATER:**

2. The industry shall take steps to reduce water consumption to the extent possible and consumption shall NOT exceed the quantities mentioned below:

<b>S. No.</b>	<b>Description</b>	<b>Quantity</b>
1.	Cooling (makeup)	14.0 Kilo Liters/Day

2.	Domestic	10.0 Kilo Liters/Day
	<b>TOTAL</b>	<b>24.0 Kilo Liters/Day</b>

3. The industry shall comply the following effluent standards based on the disposal points permitted:

Shall comply the norms notified by MoEF & CC vide Notification No:G.S.R.422(E) dated:19.05.1993.

Outlet	Parameter	Concentration in mg/l
		----

4. The industry shall install and maintain digital flow meters with totalizer facility for measuring the actual quantity of water consumption, and waste water generation and maintain log registers for the same.

5. The industry shall utilize the treated wastewater for onland for irrigation. The industry shall not dispose any type of waste outside premises under any circumstances.

**AIR:**

6. The industry shall comply with ambient air quality standards of PM10 (Particulate Matter size less than 10mm) - 100 mg/ m<sup>3</sup>; PM2.5 (Particulate Matter size less than 2.5 mm) - 60 mg/ m<sup>3</sup>; SO<sub>2</sub> - 80 mg/ m<sup>3</sup>; NO<sub>x</sub> - 80 mg/m<sup>3</sup>, outside the factory premises at the periphery of the industry.

Standards for other parameters as mentioned in the National Ambient Air Quality Standards CPCB Notification No.B-29016/20/90/PCI-I, dated 18.11.2009.

Noise Levels: Day time (6 AM to 10 PM) - 75 dB (A)

Night time (10 PM to 6 AM) - 70 dB (A)

7. The industry shall comply with emission limits for DG sets of capacity upto 800 KW as per the Notification G.S.R.520 (E), dated 01.07.2003 and G.S.R. 448 (E), dated 12.07.2004 under the Environment (Protection) Act Rules. In case of DG sets of capacity more than 800 KW shall comply with emission limits as per the Notification G.S.R.489 (E), dated 09.07.2002 at serial no.96, under the Environment (Protection) Act, 1986.

**SOLID WASTE:**

8. The solid wastes generated shall not exceed the following quantities:

S. No.	Solid Waste generated from	Quantity	Method of Disposal
1.	mill scale	7.5 TPD	Sale to authorized recyclers
2.	Scrap	3.0 TPD	Re-use in the process / sale to authorized recyclers

9. The industry shall not dispose the solid waste outside the factory premises.

**OTHER CONDITIONS:**

10. The industry shall not cause any water pollution/air pollution/noise/odour

- pollution problems to the nearby surrounding environment under any circumstances.
11. The industry shall not increase the capacity of the plant and not manufacture the products more than the permitted capacity mentioned in this order, without obtaining CTE/CTO of the Board.
  12. The industry shall ensure that there shall not be any change in the process technology, source & composition of raw materials and scope of working without prior approval from the Board.
  13. The industry shall maintain the following records and the same shall be made available to the inspecting officers of the Board:
    - a. Daily production details.
    - b. Quantity of Effluents generated, treated, recycled/reused and disposed.
    - c. Log Books for pollution control systems.
    - d. Characteristics of effluents and emissions.
    - e. Hazardous/non hazardous solid waste generated and disposed.
    - f. Inspection book.
    - g. Manifest copies of effluents / hazardous waste.
  14. The industry shall maintain good housekeeping with-in the premises.
  15. Concealing the factual data or submission of false information / fabricated data and failure to comply with any of the conditions mentioned in this order may result in withdrawal of this order and attract action under the provisions of relevant pollution control Acts.
  16. The Board reserves its right to modify above conditions or stipulate any further conditions and to take action including revoke of this order in the interest of environment protection.
  17. The industry shall submit a compliance report on CTO conditions for every 6 months as on 01<sup>st</sup> January and 01<sup>st</sup> July of every year at Regional Office and Zonal Office.

### **SCHEDULE – C**

**[See rule 6(2)]**

#### **[CONDITIONS OF AUTHORISATION FOR OCCUPIER OR OPERATOR HANDLING HAZARDOUS WASTES]**

1. All the rules and regulations notified by Ministry of Environment and Forests, Government of India under the E(P) Act, 1986 in respect of management, handling, transportation and storage of the Hazardous wastes should be followed.
2. The industry shall not store hazardous waste for more than 90 days as per the Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016 and amendments thereof.
3. The industry shall store Used Oil and Used Lead Acid Batteries in a secured way in their premises till its disposal to the manufacturers / dealers on buyback basis.
4. The industry shall maintain 6 copy manifest system for transportation of waste generated and a copy shall be submitted to concerned Regional Office of APPCB. The driver who transports Hazardous Waste should be well acquainted about the procedure to be followed in case of an emergency during transit. The transporter should carry a Transport Emergency (TREM)

Card.

5. The industry shall maintain proper records for Hazardous Wastes stated in Authorisation in FORM-3 i.e., quantity of Incinerable waste, land disposal waste, recyclable waste etc., and file annual returns in Form- 4 as per Rule 6(5), 13(8), 16(6) and 20(2) of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules, 2016 and amendments thereof.
6. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
7. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorization.
8. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorization.
9. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
10. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
11. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
12. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
13. Annual return shall be filed by June 30<sup>th</sup> for the period ensuring 31<sup>st</sup> March of the year.

DR P.PRASADA RAO  
JOINT CHIEF ENVIRONMENTAL ENGINEER

**To**  
**M/s. Neotech Specialty Structures Pvt. Ltd.,**  
**(Formerly Neotech Oils Pvt. Ltd., & Formerly M/s.Ralco Steels Private Limited),**  
**Plot No. 1, APIIC, Growth Center,**  
**Bobbili (V) & (M),**  
**Vizianagaram District.**

Digitally signed by  
P PRASADA RAO  
Date: 24-04-2025  
20:06:20